

Table S1. Analytical results of U-Pb isotope (LA-ICP-MS) dating of zircon grains from sample 0800-1 (rhyolite ignibrite, Leurvaam complex). Coordinates: N66.515° E177.304°.

The analyses that passed the discordance filter are highlighted in bold.

Site no	$\text{Pb}^{206}/\text{U}^{238}$	$\text{Pb}^{206}/\text{U}^{238} \ 2\sigma$	$\text{Pb}^{207}/\text{U}^{235}$	$\text{Pb}^{207}/\text{U}^{235} \ 2\sigma$	$\text{Pb}^{207}/\text{Pb}^{206}$	$\text{Pb}^{207}/\text{Pb}^{206} \ 2\sigma$	concordia distance [Vermeesch, 2021b]	Concordia age, Ma	2σ
0800-1_01	0.0128375	0.0004122	0.0880718	0.0038639	0.0507033	0.0024333	4.5	83.4	2.1
0800-1_03	0.0125290	0.0002729	0.0828254	0.0028137	0.0477266	0.0013085	0.16	80.4	1.5
0800-1_04	0.0153348	0.0005540	0.1072890	0.0063675	0.0510668	0.0028167	4.5	99.5	3.0
0800-1_05	0.0481371	0.0019829	0.5214385	0.0426988	0.0751740	0.0042986	27	319.6	11.4
0800-1_07	0.0117828	0.0003560	0.0931651	0.0040737	0.0578985	0.0023289	870	10036.1	0.0
0800-1_08	0.0103625	0.0002863	0.0701892	0.0026948	0.0485967	0.0019558	1.8	67.3	1.5
0800-1_09	0.0120003	0.0004626	0.0915734	0.0045732	0.0560162	0.0028913	12	80.8	2.4
0800-1_10	0.0131775	0.0004494	0.1073579	0.0050928	0.0599950	0.0029598	17	89.5	2.5
0800-1_11	0.0107733	0.0003212	0.0708471	0.0024864	0.0475446	0.0011597	0.22	69.3	1.5
0800-1_12	0.0104773	0.0004894	0.0924330	0.0069003	0.0638698	0.0054971	22	71.4	2.8
0800-1_13	0.0124745	0.0003058	0.0921786	0.0037723	0.0534338	0.0016471	8.4	82.2	1.7
0800-1_14	0.0104897	0.0002486	0.0721516	0.0028679	0.0496499	0.0016951	3.4	68.1	1.4
0800-1_15	0.0118019	0.0002751	0.0794974	0.0033451	0.0491174	0.0020557	2.4	76.1	1.5
0800-1_16	0.0410747	0.0011515	0.2892756	0.0092174	0.0509662	0.0009767	-0.64	258.8	5.1
0800-1_17	0.0106905	0.0003779	0.0809282	0.0034895	0.0551310	0.0030891	11	72.2	1.9
0800-1_18	0.0108137	0.0003221	0.0716353	0.0030462	0.0482549	0.0018733	1.3	69.6	1.7
0800-1_19	0.0116036	0.0003322	0.0778508	0.0030500	0.0490954	0.0021139	2.4	75.0	1.7
0800-1_20	0.0114138	0.0002829	0.1146930	0.0073088	0.0742857	0.0048039	900	10764.4	0.0
0800-1_21	0.0463018	0.0012200	0.3350750	0.0102125	0.0530394	0.0009064	1.2	292.6	5.4
0800-1_22	0.0122086	0.0005144	0.0824947	0.0061299	0.0494716	0.0032343	2.9	78.8	2.8
0800-1_24	0.0107625	0.0002944	0.0703710	0.0029898	0.0475678	0.0015852	0.26	69.0	1.6
0800-1_25	0.0112923	0.0004473	0.0767459	0.0037785	0.0507171	0.0030054	4.9	73.4	2.2
0800-1_26	0.0131341	0.0003360	0.0903469	0.0045506	0.0508313	0.0026431	4.8	84.9	1.9
0800-1_27	0.0125392	0.0003520	0.0834329	0.0038338	0.0485562	0.0021965	1.4	80.6	1.9
0800-1_28	0.0107942	0.0002789	0.0730503	0.0024074	0.0493064	0.0013894	2.8	70.1	1.4

0800-1_29	0.0144460	0.0003455	0.0991133	0.0038613	0.0504501	0.0020634	3.9	93.4	1.9
0800-1_30	0.0503003	0.0014821	0.4223257	0.0158832	0.0619771	0.0021622	11	332.1	7.2
0800-1_31	0.0117343	0.0003222	0.0766815	0.0026555	0.0478620	0.0011936	0.6	75.1	1.6
0800-1_32	0.0110371	0.0002261	0.0725900	0.0019375	0.0476709	0.0008949	0.33	70.9	1.1
0800-1_35	0.0109152	0.0003101	0.0721881	0.0032656	0.0483154	0.0017556	1.4	70.2	1.7
0800-1_38	0.0119249	0.0003631	0.0776186	0.0036024	0.0475658	0.0022916	0.18	76.3	1.9
0800-1_39	0.0121316	0.0003722	0.0805243	0.0040701	0.0490716	0.0022763	2.4	78.0	2.0
0800-1_41	0.0140222	0.0003640	0.1032244	0.0049776	0.0538583	0.0022703	8.9	91.8	2.1
0800-1_42	0.0129548	0.0004394	0.0884109	0.0043785	0.0500189	0.0024226	3.5	83.9	2.3
0800-1_43	0.0142581	0.0002982	0.0968256	0.0037922	0.0494735	0.0020278	2.5	91.8	1.7
0800-1_44	0.0135676	0.0003817	0.0916752	0.0045521	0.0497738	0.0021931	3.1	87.4	2.1
0800-1_45	0.0111604	0.0002750	0.0735879	0.0027602	0.0476772	0.0014929	0.31	71.7	1.5
0800-1_46	0.0129499	0.0003954	0.0868794	0.0047376	0.0493170	0.0028829	2.5	83.3	2.2
0800-1_47	0.0437892	0.0013340	0.3212794	0.0121776	0.0528502	0.0011643	1.3	279.2	6.2
0800-1_48	0.0135344	0.0004140	0.1271127	0.0064689	0.0695321	0.0033187	850	10118.5	0.0
0800-1_49	0.0139488	0.0004002	0.1158397	0.0065698	0.0597735	0.0030751	870	10275.0	0.0
0800-1_50	0.0108695	0.0003653	0.0715372	0.0032043	0.0476158	0.0019087	0.28	69.9	1.8

Table S2. Site-mean paleomagnetic directions for the Valunistoe location. * - sites that include samples collected by a magnetic compass and alternative methods; m - sites that include only samples collected by a magnetic compass; no marks - sites that include samples oriented only by alternative methods, x - sites whose directions correspond to transition states of the geomagnetic field or excursions excluded from the final calculation of paleomagnetic poles. n - number of samples used to calculate the site-mean direction; Dg, Ig - declination and inclination in the geographic coordinates; Ds, Is - declination and inclination in the stratigraphic coordinates; k - precision; a95 – 95% confidence radius.

Site-mean directions								Single eruption events and Directional groups (after [Chenet et al., 2008])							
name	n	Dg	Ig	Ds	Is	k	a95	name	n	Dg	Ig	Ds	Is	k	a95
section 08-1, attitude: dip azimuth 160° dip 5°, coordinates 66.55° 177.5°															
080122	10	29.7	84.3	86.4	85.4	195	3.5	080122	10	29.7	84.3	86.4	85.4	195	3.5
080229	12	102.3	-73	86.3	-75.1	121.6	4	080229	12	102.3	-73	86.3	-75.1	121.6	4
080328	11	194.3	-64	201.2	-67.9	608.4	1.9	080328	11	194.3	-64	201.2	-67.9	608.4	1.9
080523	10	163.3	83.8	161.8	78.9	67.8	5.9	080523	10	163.3	83.8	161.8	78.9	67.8	5.9
080624	12	15.5	67.6	24.1	71.5	133.6	3.8	080624	12	15.5	67.6	24.1	71.5	133.6	3.8
080725	11	177.5	-56	186.2	-60.6	58.9	6	0807-08	21	186.2	-54.4	189.8	-58.8	79.2	3.6
080826	10	189.6	-52.6	193.3	-56.8	147.9	4								
080930	11	183.8	-66.5	189.5	-71	116.1	4.3	080930	11	183.8	-66.5	189.5	-71	116.1	4.3
081031 x	8	299.1	2.1	298.9	5.9	8.7	19.8	081031 x	8	299.1	2.1	298.9	5.9	8.7	19.8
081132 x	5	296.1	-28.1	297.8	-24.5	176.3	5.8	081132 x	5	296.1	-28.1	297.8	-24.5	176.3	5.8
081233 x	5	293.4	-20.3	294.6	-16.8	38.6	12.5	081233 x	5	293.4	-20.3	294.6	-16.8	38.6	12.5
081334	10	201.3	86	178.3	81.5	197.5	3.4	0813-15	32	242.3	85.4	199.2	82.8	198.5	1.8
081435	11	259.9	85	210.4	83.5	140.5	3.9								
081536	11	250.9	84.1	210.3	82.3	572.3	1.9								
081637	10	58.4	77.6	81.3	77.6	292.1	2.8	081637	10	58.4	77.6	81.3	77.6	292.1	2.8
mean	12	3.2	78	18	82.3	23.2	9.2	mean	9	6.2	77.4	21.2	81.5	25.2	10.5
Section 08-2, attitude: dip azimuth 85° dip 4°, coordinates 66.5° 177.3°															
081738	10	323.5	59.9	329.8	61.8	107.7	4.7	081738	10	323.5	59.9	329.8	61.8	107.7	4.7
081801*	15	316.1	49	319.9	51.4	190.7	2.8	081801*	15	316.1	49	319.9	51.4	190.7	2.8
081939	10	333	63.2	340.7	64.4	263.9	3	081939	10	333	63.2	340.7	64.4	263.9	3
082002*	22	299.6	79.3	316.5	82.3	76.1	3.6	082002*	22	299.6	79.3	316.5	82.3	76.1	3.6
082103*	22	140.2	-72.4	151.9	-74.3	118.2	2.9	082103*	22	140.2	-72.4	151.9	-74.3	118.2	2.9
082204*	17	146.9	-79.8	169.7	-81	190.3	2.6	082204*	17	146.9	-79.8	169.7	-81	190.3	2.6
082340	12	6.5	81.6	29.6	80	322.4	2.4	082340	12	6.5	81.6	29.6	80	322.4	2.4
082441	6	63	88	77.5	84.1	293.7	3.9	082441	6	63	88	77.5	84.1	293.7	3.9

082542	7	280.3	77.4	287.1	81.2	201.5	4.3	082542	7	280.3	77.4	287.1	81.2	201.5	4.3
<i>mean</i>	9	321	73.4	333.7	75.2	33.8	9	<i>mean</i>	9	321	73.4	333.7	75.2	33.8	9
Section 08-3, attitude: dip azimuth 70° dip 7°, coordinates 66.5° 177.3°															
082610*	19	241.2	68.5	237.2	75.4	101	3.4	082610*	19	241.2	68.5	237.2	75.4	101	3.4
082709*	12	259	63.4	261.9	70.3	99.4	4.4	082709*	12	259	63.4	261.9	70.3	99.4	4.4
082808*	22	328.5	74.6	354	74.4	39.3	5	082808*	22	328.5	74.6	354	74.4	39.3	5
082905*	20	110.3	83.8	89	77.6	77	3.7	0829-30*	44	87.7	83.7	78.4	76.9	61.3	2.8
083006*	24	177.3	82.9	70.7	75.9	54.6	4								
083107*	20	253.2	79.3	259.2	86.3	85.9	3.5	083107*	20	253.2	79.3	259.2	86.3	85.9	3.5
<i>mean</i>	6	264.2	81.5	308.9	87.6	28.1	12.9	<i>mean</i>	5	265	78.5	285.7	84.9	29.2	14.4
Section 08-4, attitude: dip azimuth 65° dip 16°, coordinates 66.5° 177.3°															
083243	10	93.6	-55.6	112.3	-68.4	254.6	3	083243	10	93.6	-55.6	112.3	-68.4	254.6	3
083311*	22	272.4	80.4	34.3	81.3	233.8	2	083311*	22	272.4	80.4	34.3	81.3	233.8	2
083412*	22	228.6	79.2	93.4	83.6	118.6	2.9	0834-36*	65	229.9	77.6	103.7	84.9	90.2	1.9
083513*	20	231.9	77	106.3	85.6	65.3	4.1								
083614*	23	229.2	76.5	115.7	85.3	97	3.1								
083715*	25	326.4	65.7	0.3	63.3	73.7	3.4	083715*	25	326.4	65.7	0.3	63.3	73.7	3.4
083816*	21	300.8	56.3	326.3	62.3	98.1	3.2	083816*	21	300.8	56.3	326.3	62.3	98.1	3.2
083917*	22	328	74.3	16	69.1	79.8	3.5	083917*	22	328	74.3	16	69.1	79.8	3.5
084018*	21	317.4	67.3	356.1	66.8	85.6	3.5	084018*	21	317.4	67.3	356.1	66.8	85.6	3.5
084119*	20	36.3	67	47.2	52.2	65.5	4.1	084119*	20	36.3	67	47.2	52.2	65.5	4.1
<i>mean</i>	10	297.2	75.7	7	76.7	21.7	10.6	<i>mean</i>	8	307.5	73.1	2.5	73.1	21.2	12.3
Section 08-5, attitude: dip azimuth 150° dip 10°, coordinates 66.5° 177.3°															
084244	10	320.2	78.6	273	87.7	270.8	2.9	0842-44	30	314.8	80.5	222.4	87.4	89.2	2.8
084345	10	321.6	84.6	159.5	85.3	405.7	2.4								
084446	10	306.4	77.9	252.9	85.1	40.5	7.7								
084547	10	347.1	69	1	78.2	111.4	4.6	084547	10	347.1	69	1	78.2	111.4	4.6
084620*	20	141.2	-79.9	59.4	-88.5	139.8	2.8	084620*	20	141.2	-79.9	59.4	-88.5	139.8	2.8
<i>mean</i>	5	326.4	78.4	305.7	88.3	147	6.3	<i>mean</i>	3	333	76.9	342.6	86.8	111.2	11.7
Section 09, attitude: dip azimuth 220° dip 10°, coordinates 66.4° 177.7°															
0901 m	15	11.9	80.5	290.3	85.3	99.6	3.9	0901 m	15	11.9	80.5	290.3	85.3	99.6	3.9
0902 m	8	44.1	68.3	47.5	78.3	224.4	3.7	0902 m	8	44.1	68.3	47.5	78.3	224.4	3.7

0903 m	14	45.3	76.6	60.2	86.4	39.1	6.4	0903 m	14	45.3	76.6	60.2	86.4	39.1	6.4
0904 m	11	80.4	69.7	106.6	75.8	54.7	6.2	0904 m	11	80.4	69.7	106.6	75.8	54.7	6.2
0905 m	5	33.6	86.3	223.7	83.7	62.7	9.7	0905-06 m	18	37.5	79.7	343	89.5	55.9	4.7
0906 m	13	37.9	77.1	30.8	87.1	61.6	5.3								
<i>0907 x m</i>	9	296.9	-20.2	<i>300.7</i>	-22.1	<i>27.1</i>	<i>10.1</i>	<i>0907 x m</i>	9	296.9	-20.2	<i>300.7</i>	-22.1	<i>27.1</i>	<i>10.1</i>
0909 m	11	351.9	85	249.3	82.4	45.8	6.8	0909 m	11	351.9	85	249.3	82.4	45.8	6.8
0910 m	9	45.5	59.2	47.9	69.1	75.4	6	0910 m	9	45.5	59.2	47.9	69.1	75.4	6
<i>mean</i>	<i>8</i>	<i>45</i>	<i>76.3</i>	<i>58</i>	<i>86.1</i>	<i>58.1</i>	<i>7.3</i>	<i>mean</i>	<i>7</i>	<i>45.6</i>	<i>75.2</i>	<i>56.8</i>	<i>85</i>	<i>57</i>	<i>8.1</i>
Section 10, attitude: dip azimuth 260° dip 5°, coordinates 66.4° 177.5°															
1001 m	10	100.6	80.4	120.1	84.8	135.9	4.2	1001 m	10	100.6	80.4	120.1	84.8	135.9	4.2
1002 m	13	98.3	51	100.5	55.7	116.8	3.9	1002 m	13	98.3	51	100.5	55.7	116.8	3.9
1003 m	13	43.4	81.7	8.7	84.8	430	2	1003 m	13	43.4	81.7	8.7	84.8	430	2
1004 m	11	276.4	81.8	270.3	76.9	111.5	4.3	1004 m	11	276.4	81.8	270.3	76.9	111.5	4.3
1005 m	12	72.1	70.7	69.4	75.6	131.2	3.8	1005 m	12	72.1	70.7	69.4	75.6	131.2	3.8
1006 m	13	134.6	85.9	208.1	85.8	295.3	2.4	1006 m	13	134.6	85.9	208.1	85.8	295.3	2.4
1007 m	14	96.1	74.4	103.3	79.1	101.2	4	1007 m	14	96.1	74.4	103.3	79.1	101.2	4
<i>1008 x m</i>	5	64.7	-40	65.7	-35.2	60.7	9.9	<i>1008 x m</i>	5	64.7	-40	65.7	-35.2	60.7	9.9
1009 m	14	30.4	83.6	340.2	85.1	120.3	3.6	1009 m	14	30.4	83.6	340.2	85.1	120.3	3.6
1010 m	11	45.3	75.3	30.5	79	67.6	5.6	1010-11 m	27	41.7	73.6	28.1	77.2	51	3.9
1011 m	16	39.1	72.4	26.1	75.8	42.7	5.7								
1012 m	13	55	66.7	48.9	71.1	79.9	4.7	1012 m	13	55	66.7	48.9	71.1	79.9	4.7
1013 m	12	242.8	-75.4	234.4	-80.1	167.7	3.4	1013-14 m	23	247.2	-74.1	241.6	-78.9	132.4	2.6
1014 m	11	251.2	-72.6	247.8	-77.5	112	4.3								
1015 m	8	52.4	52.2	49	56.6	199.4	3.9	1015 m	8	52.4	52.2	49	56.6	199.4	3.9
1016 m	14	61.3	60.5	57.9	65.2	105	3.9	1016 m	14	61.3	60.5	57.9	65.2	105	3.9
1017 m	12	76.6	65	75.8	70	95.9	4.5	1017-18 m	23	73.4	66.4	71.7	71.4	99.6	3
1018 m	11	69.4	67.9	66.5	72.8	108.8	4.4								
1019 m	8	88.2	62	89.8	66.9	133.4	4.8	1019 m	8	88.2	62	89.8	66.9	133.4	4.8
<i>mean</i>	<i>18</i>	<i>69.1</i>	<i>73</i>	<i>64.8</i>	<i>77.9</i>	<i>37.1</i>	<i>5.7</i>	<i>mean</i>	<i>15</i>	<i>70.5</i>	<i>73.2</i>	<i>66.7</i>	<i>78.1</i>	<i>31.9</i>	<i>6.9</i>
Section 11, attitude: dip azimuth 240° dip 8°, coordinates 66.3° 177.65°															
1101*	20	42.9	55.4	38.5	63	109.2	3.1	1101*	20	42.9	55.4	38.5	63	109.2	3.1
1102*	15	62.1	58.1	62.7	66.1	171.8	2.9	1102*	15	62.1	58.1	62.7	66.1	171.8	2.9

1103*	13	49.3	51.2	46.9	59	129.2	3.7	1103*	13	49.3	51.2	46.9	59	129.2	3.7
1104*	21	31.3	78.2	352.9	83.9	105.1	3.1	1104*	21	31.3	78.2	352.9	83.9	105.1	3.1
1105*	19	11.3	76.4	336	79.8	91.8	3.5	1105*	19	11.3	76.4	336	79.8	91.8	3.5
1106*	24	29.6	72.9	8.4	79	106.1	2.9	1106*	24	29.6	72.9	8.4	79	106.1	2.9
1107*	10	339	77.4	304.7	76.2	56.4	6.5	1107*	10	339	77.4	304.7	76.2	56.4	6.5
1108*	25	65.2	55.3	66.6	63.3	139.4	2.5	1108*	25	65.2	55.3	66.6	63.3	139.4	2.5
1109*	17	75.1	80.3	121.4	87.1	64.9	4.5	1109*	17	75.1	80.3	121.4	87.1	64.9	4.5
1110*	18	48.9	57.6	45.6	65.4	181.8	2.6	1110*	18	48.9	57.6	45.6	65.4	181.8	2.6
1111	7	26.5	58.3	17.5	64.6	74.4	7	1111	7	26.5	58.3	17.5	64.6	74.4	7
1112	10	53.2	68.9	49.2	76.8	76.5	5.6	1112	10	53.2	68.9	49.2	76.8	76.5	5.6
1113	8	64.5	62.2	66.2	70.2	367.5	2.9	1113	8	64.5	62.2	66.2	70.2	367.5	2.9
1114	8	49	58.4	45.7	66.2	180	4.1	1114	8	49	58.4	45.7	66.2	180	4.1
1115	9	51.8	71.7	45.6	79.6	943.3	1.7	1115-16	19	50.2	71	43.4	78.7	501.8	1.5
1116	10	48.8	70.2	41.6	78	359.2	2.6								
1117	7	33.9	73.7	13.2	80.3	723.7	2.2	1117	7	33.9	73.7	13.2	80.3	723.7	2.2
1118	10	35.1	70.8	19.8	77.6	999.9	1.1	1118-19	17	38.3	69.3	26.2	76.4	244.9	2.3
1119	7	42.1	67	33.5	74.4	125.9	5.4								
1120	10	68.8	75	78.3	82.8	368.6	2.5	1120	10	68.8	75	78.3	82.8	368.6	2.5
1121	10	276.2	-82.4	352	-85.1	179.9	3.6	1121-22	21	285	-81.1	344.7	-83.5	134.1	2.8
1122	11	290.9	-79.8	340.8	-81.9	111.5	4.3								
1123	8	196.1	-65.5	180.5	-70.5	108.2	5.3	1123-24	18	200.6	-67.6	183.9	-73.1	142.5	2.9
1124	10	204.8	-69.2	187.5	-75.1	238.5	3.1								
1125	8	207	-72.1	186.2	-78.1	196.5	4	1125	8	207	-72.1	186.2	-78.1	196.5	4
1126	8	202.6	-62.5	190.5	-68.4	458.9	2.6	1126-27	17	203.4	-63.8	190.7	-69.7	330.2	2
1127	9	204.1	-64.9	190.8	-70.8	273.6	3.1								
1128	9	194.9	-74.3	166	-78.5	249.3	3.3	1128	9	194.9	-74.3	166	-78.5	249.3	3.3
1129	9	209	-71.8	189.6	-77.9	248.3	3.3	1129-30	18	207.2	-70.9	188.4	-76.9	294.9	2
1130	9	205.5	-70.1	187.3	-75.9	354.5	2.7								
1131	9	201.5	-75.3	171.6	-80.2	306.8	2.9	1131-33	25	198.7	-73	173.6	-77.8	231.2	1.9
1132	8	200.2	-72.7	176	-77.8	229.6	3.7								
1133	8	194.9	-70.6	173.2	-75.2	230.6	3.7								
1134	8	203.9	-64.3	190.9	-70.3	94.4	5.7	34-35	16	199.5	-64.2	185.6	-69.6	157.9	2.9

1135	8	195.2	-63.9	180.7	-68.9	574.3	2.3								
1136	9	177.3	-76.5	142	-77.9	54.5	7	1136	9	177.3	-76.5	142	-77.9	54.5	7
<i>mean</i>	36	37.3	70.1	24	77.1	54.1	3.3	<i>mean</i>	27	39.7	69.6	28	76.9	48.5	4
Section 12, attitude: dip azimuth 245° dip 8°, coordinates 66.4° 177.55°															
1201 m	12	78.5	81.4	144.6	88	89.4	4.6	1201 m	12	78.5	81.4	144.6	88	89.4	4.6
1202 m	9	173	83	211.5	77.9	68.7	6.3	1202 m	9	173	83	211.5	77.9	68.7	6.3
1203 m	11	43.3	64.5	34.5	71.7	173.8	3.5	1203 m	11	43.3	64.5	34.5	71.7	173.8	3.5
1204 m	12	22.2	62.3	9.2	67.6	50	6.2	1204 m	12	22.2	62.3	9.2	67.6	50	6.2
1205 m	11	353.6	74.7	323.5	75.2	106.9	4.4	1205 m	11	353.6	74.7	323.5	75.2	106.9	4.4
1206 m	11	38.7	57.5	31.5	64.5	78.6	5.2	1206 m	11	38.7	57.5	31.5	64.5	78.6	5.2
1207 m	13	243.9	85.4	244.6	77.4	195.7	3	1207 m	13	243.9	85.4	244.6	77.4	195.7	3
<i>mean</i>	7	33.7	76.6	1.6	82.3	24.8	12.4	<i>mean</i>	7	33.7	76.6	1.6	82.3	24.7	12.4
Section VP-3, attitude: dip azimuth 0° dip 0°, coordinates 66.3° 177.5°															
VP3-0 m	12	114.7	83	114.7	83	69.9	5.2	VP3-0 m	12	114.7	83	114.7	83	69.9	5.2
VP3-3 m	12	51.2	80.1	51.2	80.1	126.6	3.9	VP3-3 m	12	51.2	80.1	51.2	80.1	126.6	3.9
VP3-4 m	14	139.3	66.6	139.3	66.6	65.8	4.9	VP3-4 m	14	139.3	66.6	139.3	66.6	65.8	4.9
VP3-4-1 m	11	97.5	77.5	97.5	77.5	76.2	5.3	VP3-4-1 m	11	97.5	77.5	97.5	77.5	76.2	5.3
VP3-5 m	12	156.1	69.7	156.1	69.7	236.6	2.8	VP3-5 m	12	156.1	69.7	156.1	69.7	236.6	2.8
VP3-6+7 m	25	68.8	74.9	68.8	74.9	48.7	4.2	VP3-6+7 m	25	68.8	74.9	68.8	74.9	48.7	4.2
<i>mean</i>	6	114.2	78.2	114.2	78.2	50	9.6	<i>mean</i>	6	114.2	78.2	114.2	78.2	50	9.6
Section VP-4, attitude: dip azimuth 266° dip 4°, coordinates 66.4° 177.6°															
VP4-01 x m	9	112.1	-34.2	111	-30.4	70.5	6.2	VP4-01 x m	9	112.1	-34.2	111	-30.4	70.5	6.2
VP4-05 x m	10	320.8	-9.9	321.4	-12.2	100.4	4.8	VP4-05 x m	10	320.8	-9.9	321.4	-12.2	100.4	4.8
VP4-06 x m	12	297.5	-31.2	298.9	-34.4	67.5	5.3	VP4-06 x m	12	297.5	-31.2	298.9	-34.4	67.5	5.3
VP4-07 m	12	62.9	77.1	53.4	80.6	80.8	4.9	VP4-07 m	12	62.9	77.1	53.4	80.6	80.8	4.9
VP4-08 m	13	288.1	76.2	283.3	72.4	119.6	3.8	VP4-08 m	13	288.1	76.2	283.3	72.4	119.6	3.8
VP4-09 m	11	208.8	81	225.4	78.3	72.6	5.4	VP4-09 m	11	208.8	81	225.4	78.3	72.6	5.4
VP4-10 m	12	44.9	63	39.1	65.9	190.9	3.1	VP4-10 m	12	44.9	63	39.1	65.9	190.9	3.1
VP4-12 m	16	217	82.1	232.9	79.1	24	7.7	VP4-12 m	16	217	82.1	232.9	79.1	24	7.7
VP4-13 m	15	118.5	86	192.2	87.8	92.6	4	VP4-13 m	15	118.5	86	192.2	87.8	92.6	4
VP4-14 m	15	25.6	69	15.7	70.7	43.9	5.8	VP4-14 m	15	25.6	69	15.7	70.7	43.9	5.8
VP4-15 m	11	60.9	73	53.9	76.5	72.2	5.4	vp15-17 m	36	69.1	75.8	62.8	79.6	60.9	3.1

VP4-16 m	15	75.5	78.8	69.8	82.7	51.3	5.4								
VP4-17 m	10	72.2	74.1	67.8	77.9	80.5	5.4								
mean	10	52.3	82.1	26.5	84.9	34.2	8.4	mean	8	42.7	83.7	4	85.6	29.5	10.4